ART.42

Electric portable bevelling machine



Made in Italy


Aceti Macchine s.n.c. | 24060 Bolgare (Bergamo) Italy - Via ai Dossi, 32 | P.Iva: IT01715640163
Tel. +39 035 843 751 | Fax +39 035 841 624 | info@aceti.com

ART. 42	SMUSSATRICE PORTATILE ELETTRICA PORTABLE ELECTRIC CHAMFERING MAC. CHANFREINEUSE PORTATIVE ELECTRIQUE ELEKTRISCHE ANFASMASCHINE



Volt 230/1F
Watt 670





kg

hp	Rpm	m/s	dB	E	F	G	kg
0,9	11000	17	68	220	300	130	2



ISO SPMA 09.03.08





Ø mm	Z	P	R	T	Sm	J°
30	2	130	50	30	0÷3	45°

Seq. 02970 - Rel. 280721
Copyright © Aceti Macchine s.n.c. | All rights reserved

General technical info

Power supply	230 | 50 | 1	Volt|Hz|Phase
Motor power single phase	670 (0,9)	Watt (hp)
Motor speed	11000	rpm
Acoustic emission	68	dB
Overall dimension (Width x Depth x Height)	300 x 220 x H. 130	mm
Weight standard machine	2	kg

• Chamfer - bevel unit

Bevel dimension (diagonal)	0 ÷ 3	mm
Bevel angle	45	°
Milling cutter diameter	ø 30	mm
Quantity of widia insert milling cutter	2	No.
Widia insert type/code	SPMA 09 03 08	ISO
Support table dimension	30 x 130	mm
Peripheral speed	17	m/sec

Copyright © Aceti Macchine s.n.c. | All rights reserved

Standard Equipments







Machine respect CE stamp of compliance
- Machine with CE conformity mark made respecting the requirements of the most recent
  directives concerning it.
- Machine complete with instruction manual complete with CE conformity certificate, test sheet and
  exploded view with relative spare parts list.
- Machine equipped with a set of service keys suitable for the adjustment and maintenance of the machine.



Guarantee of European standards
The stringent tests guarantee that all the requisites and standards necessary to obtain the guarantee in accordance with European standards are respected. Since the project we dedicate a lot of care and attention to making the machine with high quality level to deliver machines that last over time.

Technical general information

- Hardened guides for precise straight bevels.

- Rotatable guides for the convenience of use by the operator.

- Cutting depth adjustment.

- Cutter body complete with 3 widia inserts.

Seq. 02970 - Rel. 280721
Copyright © Aceti Macchine s.n.c. | All rights reserved

Technical modification

This product data sheet does not constitute a contractual obligation.
We reserve the right to modify and/or improve our machines without prior notice.
Some photographs and illustrations are purely demonstrative and may differ from the real ones.

Copyright © Aceti Macchine s.n.c. | All rights reserved