
ART.85

Electric portable bevelling machine



Made in Italy

Aceti Macchine s.n.c. | 24060 Bolgare (Bergamo) Italy - Via ai Dossi, 32 | P.Iva: IT01715640163
Tel. +39 035 843 751 | Fax +39 035 841 624 | info@aceti.com



hp	Rpm	m/s	E	F	G	dB	kg	Ø mm	Z	Ø	Rmin	Sm	J°
1,6	7000	18	210	330	160	70	6	50	3	120	12	0-8	45°

Seq. 02990 - Rel. 280721
Copyright © Aceti Macchine s.n.c. | All rights reserved

General technical info

Power supply	230 | 50 | 1	Volt|Hz|Phase
Motor power single phase	1200 (1,6)	Watt (hp)
Motor speed	7000	rpm
Acoustic emission	70	dB
Overall dimension (Width x Depth x Height)	330 x 210 x H. 160	mm
Weight standard machine	6	kg

• Chamfer - bevel unit

Bevel dimension (diagonal)	0 ÷ 8	mm
Bevel angle	45	°
Milling cutter diameter	ø 50	mm
Quantity of widia insert milling cutter	3	No.
Widia insert type/code	TPMA 22 04 08	ISO
Dimension of support plane	ø 120	mm
Peripheral speed	18	m/sec

Copyright © Aceti Macchine s.n.c. | All rights reserved

Standard Equipments



Machine respect CE stamp of compliance
- Machine with CE conformity mark made respecting the requirements of the most recent
  directives concerning it.
- Machine complete with instruction manual complete with CE conformity certificate, test sheet and
  exploded view with relative spare parts list.
- Machine equipped with a set of service keys suitable for the adjustment and maintenance of the machine.



Guarantee of European standards
The stringent tests guarantee that all the requisites and standards necessary to obtain the guarantee in accordance with European standards are respected. Since the project we dedicate a lot of care and attention to making the machine with high quality level to deliver machines that last over time.

Technical general information

- Hardened surface for precise straight bevels.

- Support on bearing for better smoothness.

- Cutting depth adjustment.

- Cutter designed to mount 45 ° chamfering inserts.

- Milling cutter designed to mount RADIATED inserts for radius chamfers.

- Cutter body complete with 3 widia inserts for 45 ° bevels.

Seq. 02990 - Rel. 280721
Copyright © Aceti Macchine s.n.c. | All rights reserved

Technical modification

This product data sheet does not constitute a contractual obligation.
We reserve the right to modify and/or improve our machines without prior notice.
Some photographs and illustrations are purely demonstrative and may differ from the real ones.

Copyright © Aceti Macchine s.n.c. | All rights reserved