ART.43

Bevelling machine



Made in Italy


Aceti Macchine s.n.c. | 24060 Bolgare (Bergamo) Italy - Via ai Dossi, 32 | P.Iva: IT01715640163
Tel. +39 035 843 751 | Fax +39 035 841 624 | info@aceti.com

ART. 43	SMUSSATRICE DA BANCO A DISCO CHAMFERING MACHINE FOR DESK CHANFREINEUSE DE BANC À DISQUE VERSTELLBARE ENTGRATMASCHINE




Volt 400 kW 1,1





kg

hp	Rpm	m/s	dB	E	F	G	G1	kg
1,5	2800	24	70	370	500	450	210	25







Ø mm	P	R	T	Sm	J°
Ø165xØ22	500	0	120	0÷3	45°

Seq. 02700 - Rel. 280721
Copyright © Aceti Macchine s.n.c. | All rights reserved

General technical info

Power supply	400 | 50 | 3	Volt|Hz|Phase
Motor power	1,1 (1,5)	kW (hp)
Motor speed	2800	rpm
Acoustic emission	70	dB
Overall dimension (Width x Depth x Height)	500 x 370 x H. 450	mm
Weight standard machine	25	kg

• Chamfer - bevel unit

Bevel dimension (diagonal)	0 ÷ 3	mm
Bevel angle	45	°
Dimension of lamellar abrasive disc	ø 165 x ø 22	mm
Support table dimension	120 x 500	mm
Peripheral speed	24	m/sec

Copyright © Aceti Macchine s.n.c. | All rights reserved

Standard Equipments



Machine respect CE stamp of compliance
- Machine with CE conformity mark made respecting the requirements of the most recent
  directives concerning it.
- Machine complete with instruction manual complete with CE conformity certificate, test sheet and
  exploded view with relative spare parts list.
- Machine equipped with a set of service keys suitable for the adjustment and maintenance of the machine.



Guarantee of European standards
The stringent tests guarantee that all the requisites and standards necessary to obtain the guarantee in accordance with European standards are respected. Since the project we dedicate a lot of care and attention to making the machine with high quality level to deliver machines that last over time.

Technical general information

- Workpiece support guides in horizontal position.

- Full use of the lamellar abrasive disc surface.


- Lamellar abrasive disc mounted on the machine ready for use.

- Adjustment handwheel bevel size adjustable from 0 to 3 mm.

- Possibility of chamfer opening up to 10 mm.

Seq. 02700 - Rel. 280721
Copyright © Aceti Macchine s.n.c. | All rights reserved

Optional Equipments



cod. **M1V-MF**: **SINGLE PHASE MOTOR ONE SPEED**
Single phase motor one speed Rpm 2800 230 volts - 50 Hz - 1 phase

Copyright © Aceti Macchine s.n.c. | All rights reserved

Technical modification

This product data sheet does not constitute a contractual obligation.
We reserve the right to modify and/or improve our machines without prior notice.
Some photographs and illustrations are purely demonstrative and may differ from the real ones.

Seq. 02700 - Rel. 280721
Copyright © Aceti Macchine s.n.c. | All rights reserved